

Bibliography on Filariasis

- Aikat T.K and Das M (1976): A modified statistical method for analysis of periodicity of microfilariae. WHO/FIL/76.142:1-12.
- Arunachalam N, Reddy C.M.R, Hoti S.L, Kuppusamy M and Balaraman K. (1991): Evaluation of Bacillus sphaericus formulations against the vector of Bancroftian Filariasis. Southeast Asian Journal of Tropical Medicine and Public Health 22 (2): 160-164.
- Bagai R.C, Subrahmanyam D and Singh V.B. (1968): Immunochemical studies with Filarial Antigens. Ind J Med Res, 56(7): 1064-1073.
- Balakrishnan N, Pani S.P, Das L.K and Vanamail P (1988): Evaluation of Diethylcarbamazine (DEC) provocative test for the Diagnosis of Bancroftian Filariasis. Proc.2nd Sym.Vector and vector- borne Diseases, 16-21.
- Basu B.C and Sundar Rao.S (1939): Studies on Filariasis transmission. Ind.J Med.Res, 27 (1): 233-249.
- Cartel J.L, Nguyen N.L, Moulia-Pelat J.P, Plichart R, Martin P.M.V and Spiegel A (1992): Mass chemoprophylaxis of lymphatic filariasis with a single dose of ivermectin in a Polynesian community with a high Wuchereria bancrofti infection rate. Transactions of the Royal Society of Tropical Medicine and Hygiene, 86: 537-540.
- Castellani. Aldo (1960): Elephantiasis Nostra and Elephantiasis Tropica: A Comparative Study. Tropical Medicine and Hygiene. , 216-221.
- Chan MS Srividya A, Norman R.A, Pani S.P, Ramaiah K.D, Vanamail P, Michael E, Das P.K and Bundy D.A.P (1998): EPIFIL: a dynamic model of infection and disease in lymphatic filariasis. American Journal of Tropical Medicine and Hygiene 59 (4): 606-614.
- Chand.Diwan, Singh.M.V and Bhaskar.V.K (1961): Observations on Mass Therapy with Diethylcarbamazine in Filaria control unit, Faizabad, Uttar Pradesh. Indian Journal of Malariology, 15 (2): 140-154.
- Chandrasekharan A, Kochukrishna Pillai K, Cherian C, Roychowdhury S.P and Rao C.K. (1984): Control of Brugia malayi filariasis with common salt medicated with DEC in some hill-tribe settlements of Kerala. Ind J Med Res, 79: 600-603.
- Chopra R.N.and Sundar Rao S (1939): Chemotherapy of Filarial Infection.Ind.Jour.Med.Res, 27 (2): 549-562.
- Curtis C.F and Feachem R.G (1981): Sanitation and Culex pipiens mosquitoes: a brief review. Journal of Tropical Medicine and Hygiene, 84: 17-25.
- Das P.K, Manoharan A, Subramanian S, Ramaiah K.D, Pani S.P, Rajvel A.R and Rajagopalan P.K. (1992): Bancroftian Filariasis in Pondicherry, South India-- epidemiological impact of recovery of the vector population.Epidemiol.Infect, 108: 483-493.
- Das P.K, Subramanian S, Manoharan A, Ramaiah K.D, Vanamail P, Grenfell B.T, Bundy D.A.P, Michael E. (1995): Frequency distribution of Wuchereria bancrofti infection in vector host in relation to human host: evidence for density dependence. Acta Tropica, 60:159-165.
- Das, P.K, Srividya A, Pani S.P, Ramaiah K.D, Vanamail P and Dhanda V. (1994): Cumulative exposure and its relationship with chronic filarial disease in Bancroftian Filariasis. Southeast Asian Journal of Tropical Medicine and Public Health 25 (3): 516-521.
- Das, P.K, Srividya A, Vanamail P, Ramaiah K.D, Pani S.P, Michael E and Bundy D.A.P. (1997): Wuchereria bancrofti microfilaraemia in children in relation to parental infection status. Transactions of the Royal Society of Tropical Medicine and Hygiene, 91 (6): 677-679
- Dash A.P, Mahapatra N, Hazra R.K and Acharya A.S. (1998): Transmission Dynamics of filariasis in Khurdha District of Orissa, India. Southeast Asian J Trop Med Public Hlth, 29 (1), 137-140.
- Dissanayake Senarath, Watawana Laxman and Piessens Willy F (1995): Lymphatic pathology in Wuchereria bancrofti microfilaraemic infections. Transactions of the Royal Society of Tropical Medicine and Hygiene, 89:517-521.

- Estambale B.B.A, Simonsen P.E, Knight R and Bwayo J.J (1994): Bancroftian Filariasis in Kwale District of Kenya. I.Clinical and parasitological survey in an endemic community. *Annals of Trop.Med and Par*, 88 (2): 145-151.
- Fan P.C (1992): Diethylcarbamazine treatment of bancroftian and malayan filariasis with emphasis on side effects. *Annals of Trop Med and Par*, 86(4): 399-405.
- Govindwar S.L, Ghirnikar S.N and Harinath B.C. (1976): Biochemical Studies in Human Filariasis. *Indian J Med Res*, 64(11): 1607-1610.
- Houston R, Lapointe M, Lammie P, Freeman A and Addiss D (1998): The role of salt in Global Elimination of Lymphatic Filariasis.Division of Parasitic Diseases, Centers for Disease control and Prevention, Atlanta, Georgia.
- Iyengar M.O.T (1939): Differentiation of Microfilariae of *Wuchereria bancrofti* and *Filaria malayi*. *Ind.Jour.Med.Res*, 27 (2): 563-571.
- Joseph George and Prasad B.G (1967): An epidemiological study of Filariasis in the coastal belt of Kerala state.*Ind.Jour.Med.Res*, 55(11): 1259-1272.
- Kalra N.L (1974): Filariasis among aborigines of Andaman and Nicobar Islands. I.Detection of Non-periodic Bancroftian Filariasis among Nicobarese of Nancowry group of Nicobar Islands.*The J.Com.Dis*, 6(1): 40-56.
- KedarNath, Kunwar K.B and Kulsreshtha J.K (1962): Differential Serum Protein Levels in Filariasis and Tropical Eosinophilia. *The Journal of Tropical Medicine and Hygiene*, 289-294.
- Kharat Indira and Harinath B.C. (1985): In vivo & In vitro development of *Wuchereria bancrofti* microfilariae. *Indian J Med Res*, 82: 127-132.
- Kimura E, Penaia L, and Spears G.F.S (1985) Epidemiology of subperiodic Bancroftian filariasis in Samoa 8 years after control by mass treatment with Diethylcarbamazine. *Bull.Wld.HlthOrg* 63 (5): 869-880.
- Kimura L and Mataika J.U (1996): Control of Lymphatic Filariasis by annual single-dose Diethylcarbamazine treatments. *Parasitology Today*, 12 (6): 240-244.
- Kimura L and Mataika J.U. (1996): Control of Lymphatic Filariasis by Annual Single-dose Diethylcarbamazine Treatments.*Parasitology Today* 12 (6): 240-244.
- Krishnamoorthy K, Sabesan S, Panicker K.N and Prathibha J (1992): Daily Diethylcarbamazine for the treatment of *Brugia malayi* microfilaria carriers. *The National Medical Journal of India*, 5(3): 104-107.
- Krishnamoorthy, K (1999): Estimated costs of acute adenolymphangitis to patients with chronic manifestations of Bancroftian filariasis in India. *Indian Journal of Public Health* 43 (2): 58-69.
- Krishnamoorthy, K, Ramu K, Srividya A, Appavo N.C, Saxena N.B, Lal S and Das P.K. (2000): Cost of mass annual single dose diethylcarbamazine distribution for the large scale control of lymphatic filariasis. *Ind J Med Res*, 111, 81-89.
- KrishnaRao P, Venkatanarayana M, Narasimham M.V.V.L and Rao C.K. (1980) Effects of Diethylecarbamazine Medicated Common Salt on *Wuchereria Bancrofti* prophylaxis. *J.Com.Dis*.12 (4): 205-209.
- Lakshmi A (2000): A stational approach to monitor ongoing intervention for control of lymphatic filariasis.*Jour.Comm.Dis*, 32 (1): 10-16.
- Lambrecht F.L (1974): Entomological aspects of filariasis control in Srilanka.*Bull.Wld Hlth Org*, 51:133-143.
- Manoharan, A, Das P.K , Keerthiseelan V.B and Ramaiah K.D (1997): Trend of *Wuchereria bancrofti* infection in Pondicherry urban agglomeration after the withdrawal of a five year vector control programme. *Journal of Communicable Diseases* 29 (3): 255-261.
- Mataika J.U, Dando B.C, Spears G.F.S and Macnamara F.N. (1971): Mosquito-borne infections in Fiji III. Filariasis in northern Fiji: epidemiological evidence regarding the mechanisms of pathogenesis.*J.Hyg.Camb*, 69: 297-306.
- McMohan J.E, de T.F, Marshall C, Vaughan J.P and Abaru D.E (1979): Bancroftian Filariasis: A comparison of microfilaria counting techniques using counting chamber, standard slide and membrane (Nuclepore) filtration. *WHO/FIL/79.154:1-14*.

- Medeiros Z, Dreyer G, Andrade L.D, Pires M.L, Mendes J and Pimentel R (1992): Wuchereria bancrofti microfilaria density of autochthonous cases and natural Culex infectivity rates in Northeast Brazil. *J.Trop.Med & Hyg*, 95: 214-217.
- Michael E, Meyrowitsch D.W and Simonsen P.E (1996): Cost and cost effectiveness of mass diethylcarbamazine chemotherapy for the control of bancroftian filariasis: comparison of four strategies in Tanzania. *Tropical medicine and International Health*, 1 (4): 414-426.
- N.I.C.D/N.M.E.P (1996): Revised strategy for the control of lymphatic filariasis in India. 1-45.
- Nair, C. P. (1969): Filariasis survey on Vaikom municipality in Kerala state. *J Commun Dis* 1: 59-70.
- Narasimham M.V.V.L (1991): Diethylcarbamazine medicated salt in the control of Filariasis. WHO/FIL/EC/91/WP.34: 1-6.
- Narasimham M.V.V.L, Roychowdhury S.P, Babu C.S, Ravindranath T.C Sethumadhavan K.V.P and Rao C.K (1979): Role of Diethylcarbamazine Mixed common salt in Prophylaxis against Bancroftian Filariasis. *J.Com.Dis*, 11(3): 137-140.
- Narasimham M.V.V.L, Sharma S.P, Sundaram R.M, Reddy GS Raina V.K, Sambasivam V and Das M (1989): Control of Bancroftian Filariasis by Diethylcarbamazine medicated common salt in Karaikal, Pondicherry, India. *J.Com.Dis*, 21 (3): 157-170.
- Narasimham M.V.V.L. (1991): Diethylcarbamazine Medicated salt in the control of Filariasis. WHO/FIL/EC/91/WP.34: 1-6.
- Pani S.P, Balakrishnan N, Srividya A, Bundy D.A.P and Grenfell B.T. (1991): Clinical epidemiology of Bancroftian filariasis: effect of age and gender. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 85:260-264.
- Pani S.P, Das L.K, Sadanandane C, Balakrishnan N and Subramanian S (1988): Blood Groups and Bancroftian Filariasis. *Proc.2nd Sym.Vector and vector- borne Diseases*, 47-50.
- Pani S.P, Hoti S.L, Elango A, Yuvaraj J, Lall R and Ramaiah K.D. (2000): Evaluation of the ICT whole blood antigen card test to detect infection due to nocturnally periodic Wuchereria bancrofti in South India. *Tropical Medicine and International Health*, 5 (5): 359-363.
- Pani S.P, Krishnamoorthy K, Prathibha and Rao A.S (1989): Diethylcarbamazine and supportive measures for the treatment of Brugian Filariasis. *The National Medical Journal of India*, 2 (6): 260-263.
- Pani S.P, Krishnamoorthy K, Rao A.S and Prathibha J (1990): Clinical manifestations in Malayan filariasis infection with special reference to lymphoedema grading. *Ind J Med Res [A]* 91:200-207.
- Pani, S.P and Lall R. (1998): Clinical Features, Pathogenesis and Management of Lymphatic Filariasis. *ICMR Bulletin* 28 (5): 41-51.
- Pani, S.P, Srividya A, Krishnamoorthy K, DasP.K and Dhanda V. (1997): Rapid assessment procedures (RAP) for lymphatic filariasis. *National Medical Journal of India*, 10 (1): 19-22.
- Pani, S.P, Vanamail P, Srividya A, Das P.K and DhandaV. (1994): Micro-spatial variation in filarial disease and risk of developing disease associated with microfilaremia in urban situation. *Southeast Asian Journal of Tropical Medicine and Public Health* 25 (4): 719-723.
- Panicker, K.N, Arunachalam N, Pradeep Kumar N, Prathibha J and Sabesan S. (1997): Efficacy of diethylcarbamazine-medicated salt for microfilaraemia of Brugia malayi. *National Medical Journal of India* 10 (6): 275-276.
- Plaisier A.P, Subramanian S, Das P.K, Souza W, Lapa T, Furtado A.F, Van Der Ploeg C.P.B, Habbema J.D.F and Van Oortmarssen G.J. (1998): The LYMFASIM simulation program for modeling lymphatic filariasis and its control. *Methods of Information in Medicine* 37 (1): 97-108.
- Raghavan N.G.S (1969): Clinical manifestations and associated epidemiological factors of filariasis. *Jour Com Dis*.1 (2): 75-103.
- Raghavan N.G.S. (1958): Climate and Filaria. *Bull.Nat.Soc.Ind.Mal.Mosq.Dis*, 6 (5): 137-145.
- Rajagopalan P.K, Das P.K, Subramanian S, Vanamail P and Ramaiah K.D. (1989): Bancroftian filariasis in Pondicherry, South India: 1.Pre-control epidemiological observations. *Epidem.Inf* 103,685-692.

- Rajagopalan P.K, Das P.K, Vaithilingam C, Babu C.J, Arunachalam N, Mariappan T, Rajavelu A.R, Narasimham P.V.S.L, Ramaiah K.D, PradeepKumar N, Paily K.P, Amalaraj Dominic, Suryanarayana Murty U and Balakrishnan N. Filariasis control demonstration project. A Summary Report WHO/VBV/ECV/EC/82.14 (1982): 7-13.
- Rajagopalan P.K, Kazmi S.J and Mani T.R (1977): Some aspects of transmission of *Wuchereria bancrofti* and ecology of the vector *Culex pipiens fatigans* in Pondicherry. *Ind J Med Res.* 66 (2): 200-215.
- Rajagopalan P.K. (1990): Editorials, Filariasis in India. *The National Medical J of India*, 3 (I): 1-4.
- Rajagopalan P.K, Das P.K, Pani S.P, Mariappan T, Rajavel A.R, Ramaiah K.D, Amalraj D, Paily K.P, Balakrishnan N, Sadanandane C, Vanamail P, Subramanian S, Srinivasan R, Arunachalam N, Reddy C.M.R, Reddy C.B.S and Somachary N (1988): Evaluation of integrated vector control measures on filariasis transmission in Pondicherry. *Ind J Med Res*, 87: 434-439.
- Rajagopalan P.K, Shetty P.S and Arunachalam N (1981): A filariasis survey in Pondicherry villages. *Ind J Med Res* 73(suppl): 73-77.
- Rajendran G, Panicker K.N, Krishnamoorthy K, Sabesan S, Snehlatha K.S and Radhakrishnan R. (1997): Current status of filariasis in Chavakad taluk, Trichur district, Kerala. *Journal of Communicable Diseases* 29 (4): 333-343.
- Ramaiah K.D (1993): A rational approach to the control of filariasis in India. *The National Medical Journal of India*, vol 6(3).
- Ramaiah K.D and Das P.K. (1992): Seasonality of adult *Culex quiquefasciatus* and transmission of Bancroftian filariasis in Pondicherry, South India. *Acta Tropica*, 50:275-283.
- Ramaiah K.D, Das P.K, Appavoo N.C, Ramu K, Augustin D.J, Vijaya Kumar K.N and Chandrakala A.V (2000): A programme to eliminate lymphatic filariasis in Tamil Nadu state, India: compliance with annual single dose DEC mass treatment and some related operational aspects. *Tropical Medicine and International Health* 5 (5): 842-847.
- Ramaiah K.D, Das P.K, Michael E, and Guyatt H.L. (2000): The Economic burden of lymphatic filariasis in India. *Parasitology Today*, 16 (6): 251-253.
- Ramaiah K.D, Guyatt H, Ramu K, Vanamail P, Pani S.P and Das P.K (1999): Treatment costs and loss of work time to individuals with chronic lymphatic filariasis in rural communities in south India. *Tropical Medicine and International Health* 4 (1): 19-25.
- Ramaiah K.D, Pani S.P, Balakrishnan N, Sadanandane C, Das P.K, Mariappan T, Rajavel A.R, Vanamail P and Subramanian S. (1989): Prevalence of Bancroftian filariasis & its control by single course of Diethylcarbamazine citrate in a rural area in TamilNadu. *Ind J med Res* 89:184-191.
- Ramaiah K.D, Radahmani M.P, John K.R, Evans D.B, Guyatt H, Joseph A, Datta M and Vanamail P. (2000): The impact of lymphatic filariasis on labour inputs in southern India: results of a multi-site study. *Annals of Tropical Med and Parasitology.* 94 (4): 353-364.
- Ramaiah K.D, Ramu K, Vijaya Kumar K.N and Guyatt H. (1996): Epidemiology of acute filarial episodes caused by *Wuchereria bancrofti* infection in two rural villages in Tamil Nadu, South India. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 90 (6): 639-643.
- Ramaiah K.D, Vijaya Kumar K.N and Ramu K. (1996): Knowledge and beliefs about transmission, prevention and control of lymphatic filariasis in rural areas of South India. *Tropical Medicine and International Health* 1 (4): 433-438.
- Ramaiah, K.D, Das P.K, Vanamail P and Dhanda V. (1996): Rapid assessment of rural lymphatic filariasis situation through key informants. *Tropical Biomedicine* 13 (1): 13-16.
- Ramaiah, K.D, Ramu K, Guyatt H, Vijaya Kumar K.N and Pani S.P. (1998): Direct and indirect costs of the acute form of lymphatic filariasis to households in rural areas of Tamil Nadu, south India. *Tropical Medicine and International Health* 3 (2): 108-115.
- RamalingeswaraRao.K, Venkatanarayana.M, DhanvantariNaidu.Y, Narasimham.M.V.V.L, Viswanatham R and Rao C.K. (1984): Transplacental transmission in Bancroftian filariasis. *Ind J Med Res*, 79: 495-496.
- Ramu K, Ramaiah, K.D, Guyatt H and Evans D. (1996): Impact of lymphatic filariasis on the productivity of male weavers in a south Indian village. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 90 (6): 669-670.

- Rao C.K, Chandrasekharan A and Cherian C. (1982): Frequency and duration of acute filarial attacks in persons in Brugia malayi endemic community. Ind J med Res, 75:813-815.
- Rao C.K, Dutta K.K, Sundaram R.M, Ramaprasad K, Sundar Rao J, Venkatanarayana M, NathV.V.N, KrishnaRao P, KrishnaRao Ch, Das M and Sharma S.P. (1980): Epidemiological studies on Bancroftian Filariasis in East Godavari District (Andhra Pradesh); baseline filariometric indices. Ind J Med Res, 71:712-720.
- Rao C.K, PandurangaRao P, Russel S, Hamzakoya K.K, Chandrasekharan A, Roychowdhury S.P and KrishnaRao Ch (1981): Control of Bancroftian Filariasis with common salt medicated with diethylcarbamazine in Lakshadweep. Ind J Med Res, 73: 865-873.
- Rao C.K, Ramaprasad K, NathV.V.N, Narasimham M.V.V.L, Sundaram R.M, Dutta K.K, KrishnaRao Ch and Venkatanarayana M. (1982) Prevalence and incidence rates of microfilaraemia and filaria disease in the East Godavari District of Andhra Pradesh. Ind J Med Res, 75: 23-27.
- Rao C.K, Ramaprasad K., Narasimham M.V.V.L, Nath V.N, KrishnaRao Ch. and Sharma S.P. (1982): General morbidity, leprosy, Scabies and common cold in association with Bancroftian filariasis in East Godavari District of Andhra Pradesh, Ind J med Res, 75: 667-672.
- Rao C.K. Sundaram R.M, KrishnaRao Ch, SundaraRao.J and Venkatanarayana M. (1976) Trend of Bancroftian Filariasis in Two Villages and Long term effects of Mass Diethylcarbamazine Treatment.J Com Dis.8 (1): 28-34.
- Rao K.N and Subrahmanyam D (1970): Estimation of Diethylcarbamazine (Hetrazan). Ind J Med Res, 58 (6): 746-752.
- Rao, C. K, Rao, P. K and Prasad K. R. (1980): Epidemiological studies on Bancroftian Filariasis in East Godavari district (Andhra Pradesh): II. Periodicity of microfilaria. J Commun Dis, 12 (3): 164-166.
- Reid C and Kimura E (1993): Microfilaria prevalence of diurnally subperiodic Wuchereria bancrofti among people having a medical check-up in American Samoa in the past 17 years. J Trop Med & Hyg, 96: 118-123.
- Ridley D.S and Stott G.J (1961): The Skin Test in Filariasis using Setaria cervi. The Journal of Tropical Medicine and Hygiene, 297-299.
- Russel S, Das M and Rao C.K. (1975): Filariasis in Andaman and Nicobar Islands. Part-I- Survey findings- Nancowry, Terressa, Choera, Carnicobar and Portblair. J.Com.Dis, 7(1): 15-30.
- Sabesan S, Palaniyandi M, Das P.K and Michael E (2000): Mapping of lymphatic filariasis in India. Annals of Tropical Medicine & Parasitology, 94 (6): 591-606.
- Sabry Mohamed (1991): A new realistic index of experimental transmission efficiency for Bancroftian Filariasis. Journal of Tropical Medicine and Hygiene, 94: 283-290.
- Sarma R.V.S.N, Vallishayee RS Mayurnath S, Narayanan P.R, Radhamani M.P and Tripathy S.P. (1987): Prevalence survey of filariasis in two villages in Chingleput district of Tamil Nadu. Ind J med Res, 85: 522-530.
- Sasa M (1976): Human Filariasis: a global survey of epidemiology and control. Tokyo: University of Tokyo press, 663-734.
- Sasa Manabu, (1967): Microfilaria survey methods and Analysis of survey Data in Filariasis Control Programmes, Bull.Wld.HlthOrg, 37,629-650.
- Simensen P.E, Meyrowitsch D.W, Makunde W.H and Magnussen P (1995): Bancroftian Filariasis: the pattern of microfilaraemia and clinical manifestations in three endemic communities of Northeastern Tanzania. Acta Tropica, 60: 179-187.
- Southgate B.A (1974) A quantitative approach of Parasitological techniques in Bancroftian filariasis and its effect on epidemiological understanding. Royal Soc. Trop Med. Hyg, 68 (2): 177-185.
- Southgate B.A (1984): Recent advantages in the epidemiology and control of filarial infections including entomological aspects of transmission. Transactions of the Royal Society of Tropical Medicine and Hygiene, 78 (supplement).
- Southgate B.A (1992): Intensity and efficiency of transmission and the development of microfilaraemia and disease: their relationship in lymphatic filariasis. Jour Trop Med. Hyg 95: 1-12.

- Southgate B.A (1992): The significance of low-density microfilaraemia in the transmission of lymphatic filarial parasites. *Jour Trop Med. Hyg*, 95: 79-86.
- Srivastava R.N and Prasad B.G. (1970): The Microfilaricidal Effect of Diethyl Carbamazine. *Ind J Med Res*, 59 (10): 1480-1486.
- Srivastava R.N, Vidya Bhushan and Prasad B.G. (1969): Quantitative concept in the assessment of Filariasis: Observations in villages of the rural health training centre, Sarojini nagar, Lucknow. *Ind J Med Res* 59 (10): 1975-1980.
- Srividya A, Lall R, Ramaiah K.D, Ramu K, Hoti S.L, Pani S.P and Das P.K. (2000): Development of rapid assessment procedures for the delimitation of lymphatic filariasis-endemic areas. *Tropical Medicine and International Health* 5 (1): 64-71.
- Subramaniam Reddy G, Venkateswarlu N, Das P.K, Vanamail P, Vijayan A.P, Kala S and Pani. S.P (2000): Tolerability and efficacy of single-dose diethyl carbamazine (DEC) or ivermectin in the clearance of *Wuchereria bancrofti* microfilaraemia in Pondicherry, South India. *Tropical Medicine and International Health* 5 (11): 779-785.
- Subramanian S, Krishnamoorthy K, Ramaiah K.D, Habbema J.D.F, Das P.K, and Plaisier A.P (1998): The relationship between microfilarial load in the human host and uptake and development of *Wuchereria bancrofti* microfilariae by *Culex quinquefasciatus*: a study under natural conditions. *Parasitology* 116 (3): 243-255.
- Subramanian S, Pani S.P, Das P.K and Rajagopalan P.K. (1989): Bancroftian filariasis in Pondicherry, South India: 2. Epidemiological evaluation of the effects of vector control. *Epidem. Inf*, 103: 693-702.
- Sundaram R.M, KoteswaraRao N, KrishnaRao Ch, KrishnaRao P and Rao C.K. (1974): Studies on Bancroftian Filariasis Control with Diethylcarbamazine 1. Frequency and Nature of Drug Reactions. *J Com Dis*.6 (4): 290-300.
- Surendran K, Pani S.P, Soudarssanane M.B, Srinivasa D.K, Bordolai P.C and Subramanian S (1996): Natural history, trend of prevalence and spectrum of manifestations of Bancroftian Filarial disease in Pondicherry (South India). *Acta Tropica*, 61: 9-18.
- Suzuki T and Seregeg I.G (1978): A mass dissection technique for determining infectivity rate of Filariasis vectors. *WHO/VBC/78.691,WHO/FIL/78.151:1-6*.
- Symes C.B. (1960): Observations on the Epidemiology of Filariasis in Fiji. Part II. Laboratory studies and Human infections. *Tropical Medicine and Hygiene*, 31-44.
- Symes C.B. (1960): Observations on the Epidemiology of Filariasis in Fiji. Part III. Control. *Tropical Medicine and Hygiene*, 59-67.
- Tewari S.C, Hiriyan J and Reuben R. (1995): Epidemiology of subperiodic *Wuchereria bancrofti* infection in the Nicobar Islands, India. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 89:163-166.
- Turner P and Michael E (1997): Recent advances in the control of Lymphatic filariasis. *Parasitology Today*, 13(11): 410-411.
- Vanamail P, Subramanian S and Rajagopal P.K. (1990): A Mathematical analysis of various factors involved in transmission of Bancroftian filariasis in Pondicherry. *Ind J Med Res [A]* 91:289-292.
- Vanamail P, Subramanian S, Das P.K and Rajagopal P.K. (1990): Estimation of fecundic life span of *Wuchereria bancrofti* from longitudinal study of human infection in an endemic area of Pondicherry (South India). *Ind J Med Res [A]* 91:293-297.
- Vande waa J.A (1991): Review-Chemotherapy of filariasis. *Parasitology Today*, 7(8): 194-199.
- Vasuki V, Patra K. P and Hoti S.L. (2001): A rapid and simplified method of DNA extraction for the detection of *Brugia malayi* infection in mosquitoes by PCR assay. *Acta Tropica* 79 (3): 245-248.
- V CRC (1998) collection, processing and analysis of data relating to operational aspects of filariasis control with reference to Mass Drug Delivery (MDD), report of training workshop 3-13.
- W. H. O. Expert Committee on Filariasis, Dennis D.T, Dreyer G, Ismail M.M, Kumaraswami V, Mak J.W, Mataika J.U, Ottesen E.A, Piessens W.F, Rajagopalan P.K, Southgate B.A and Zheng H.J. (1993): Lymphatic Filariasis: diagnosis and pathogenesis. *Bulletin of the World Health Organization* 71 (2): 135-141.

- Wada Yoshito (1963): Epidemiology of Bancroftian Filariasis in Nagate and Abumize Villages, Nagasaki Prefecture, Especially in Relation to Vector Mosquitoes.2.Endemicity of the filariasis. Endemic Diseases Bulletin of Nagasaki University. , 5(3): 136-151.
- Webber R.H (1991): Can anopheline - transmitted filariasis be eradicated? Journal of Tropical Medicine and Hygiene, 94: 241-244.
- World Health Organization (1973) WHO/FIL/73.114: 37-43.
- World Health Organization (1992): UNDP/World Bank/WHO Special programme for research and training in Tropical diseases: DEC-medicated salt in the control of Lymphatic Filariasis.TDR/FIL/PEN/92.3: 1-6.
- World Health Organization (1992): WHO Expert Committee on Filariasis. Fifth Report.Wld Hlth Org.Techn.Rep.Ser, 821.
- World Health Organization (2000): Eliminate Filariasis: Attack poverty. The Global Alliance Lymphatic Filariasis.Proceedings of the First Meeting.WHO/CDS/CPE/CEE/2000.5.
- World Health Organization (2000): Elimination of Lymphatic Filariasis. Report of Informal Consultative Meeting on Lymphatic Filariasis in SEA Region, Bhuvaneswar, Orissa, India. (WHO/SEARO/2000).
- World Health Organization (2000): Lymphatic Filariasis. (WHO/OMS/Factsheetno.102, 2000).
- World Health Organization (2000): Preparing and Implementing a National Plan to Eliminate Lymphatic Filariasis .WHO/CDS /CPE/CEE/2000.15.
- World Health Organization (1997): World Health Assemble Resolution 50.29.
- World Health Organization (1998): Disease Prevalence and Control: Control of Tropical Diseases, Elimination of Lymphatic Filariasis. (WHO/EB101/INF.DOC. /7).